
MB 750

Spare parts list Hydraulic breakers

MB 750 s/n DEQ201164 -





General information

This spare parts list applies to the following:

| Part number | Description |
|-------------|--|
| 3363120081 | Hydraulic breaker MB 750 |
| 3363124759 | Hydraulic breaker MB 750 with HATCON (3G) |
| 3363126841 | Hydraulic breaker MB 750 with HATCON (LTE) |

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability. Any unauthorized use or copying of the contents or any part thereof is prohibited. This applies in particular to trademarks, model denominations, part numbers, and drawings.

Instructions for use

This spare parts list contains no safety regulations and is merely intended to assist in the ordering of spare parts.

For information about operating, servicing, or repairing, the relevant Safety and operating instructions must be consulted at all costs.

Please observe the safety instructions listed in the relevant Safety and operating instructions!

Instructions for ordering


It is essential to indicate the serial number of the hydraulic attachment when ordering spare parts!

Please note the full identification number of your hydraulic attachment.

The code can be found on the cylinder.

Determine the quantity of individual parts which are required and need to be ordered. The order must indicate the following details:

- · full identification code of the hydraulic attachment
- · required quantity
- part number
- description




- A. Cylinder number
- B. Type
- C. Serial number

Service, repair and wear part kits


| | Label kit | . 1 |
|---|--|------|
| | Seal kit | . 3 |
| | Plastic parts kit | 5 |
| | Tensioning bolt kit | 7 |
| | Noise protection kit | 9 |
| | Lower breaker part kit (steel) | 11 |
| ٨ | Mechanical (Mechanical Mechanical | |
| | Hydraulic breaker | . 13 |
| | Percussion unit part 1: cylinder cover | . 15 |
| | Percussion unit part 2: cylinder | . 17 |
| | Percussion unit part 3: lower breaker part | . 19 |
| | Connecting kit for automatic lubrication system | . 21 |
| | HATCON | . 23 |
| | Optional parts | . 25 |
| | Tightening torques | 27 |
| | Dimensions | 30 |
| C | Options / accessories | |
| | Hydraulic hoses | 32 |
| | Optional equipment | . 35 |
| | ClassicLine | 37 |
| | Prol ine | 30 |

Service, repair and wear part kits Label kit




| Item | Part No. | Name | Qty | L |
|--------------|------------|--|-----|---|
| 700(701-710) | 3363121182 | Label kit | 1 | |
| 701 | | Label "MB 750 Epiroc" | 2 | |
| 704 | | LABEL - LUBRICATING SYMBOL | 1 | |
| 705 | | GAS PRESSURE LABEL | 2 | |
| 710 | | Sound power label | 1 | |
| 720 | | NAME PLATE - Consult the authorized Customer Center/Dealer in your area. | 1 | |

Service, repair and wear part kits Seal kit




| Item | Part No. | Name | Qty | L |
|------|------------|---------------|-----|---|
| KIT | 3363122475 | Seal kit | 1 | |
| 120 | 3360314664 | O-RING | 1 | |
| 122 | 3363091710 | SEAL | 1 | |
| 123 | 3363091708 | Seal | 2 | |
| 124 | 3363091709 | O-RING | 2 | |
| 182 | 3360478426 | THREADED PLUG | 1 | |
| 183 | 3360175125 | O-RING | 1 | |
| 303 | 3360314494 | O-RING | 1 | |
| 304 | 3362267585 | SEAL | 1 | |
| 305 | 3363091714 | WIPER | 1 | |
| 315 | 3360478171 | O-RING | 1 | |
| 385 | 3363122402 | SEAL | 2 | |
| 397 | 3360314551 | O-ring | 2 | |

Service, repair and wear part kits Plastic parts kit




| Item | Part No. | Name | Qty | L |
|------|------------|-------------------|-----|---|
| KIT | 3363121181 | Plastic parts kit | 1 | |
| 2 | 3363092857 | Elastic pad | 1 | |
| 3 | 3361852237 | Shock absorber | 2 | |
| 4 | 3363120055 | Guide plate | 2 | |
| 5 | 3363084231 | Guide plate | 1 | |
| 7 | 3363092861 | Guide plate | 1 | |

Service, repair and wear part kits Tensioning bolt kit




| Item | Part No. | Name | Qty | L |
|------|------------|---------------------|-----|---|
| KIT | 3363094345 | Tensioning bolt kit | 1 | |
| 191 | | Tensioning bolt | 2 | |
| 192 | 3363093645 | Washer | 2 | |
| 488 | 3363089419 | Threaded insert | 2 | |

Service, repair and wear part kits Noise protection kit




| Item | Part No. | Name | Qty | L |
|------|------------|----------------------|-----|---|
| KIT | 3363121184 | Noise protection kit | 1 | |
| 31 | 3363086011 | Plug | 2 | |
| 32 | 3362267897 | PLUG | 10 | |
| 36 | 3363120079 | Cover | 1 | |
| 37 | 3363118186 | Bellows | 2 | |

Service, repair and wear part kits Lower breaker part kit (steel)



| Item | Part No. | Name | Qty | L |
|------|------------|--|-----|---|
| KIT | 3363103484 | Lower breaker part kit (steel) | 1 | |
| 401 | 3363104779 | Retainer bar | 2 | |
| 402 | 3363104781 | Bolt | 2 | |
| 484 | 3363092889 | Impact ring | 1 | |
| 485 | 3363092891 | Wear bush | 1 | |
| 486 | 3362261509 | PIN | 2 | |
| 487 | 3363091201 | SPRING DOWEL SLEEVE | 4 | |
| 490 | 3363033043 | Locking bush | 2 | |
| 491 | 3363104777 | Wear bush (steel) | 1 | |
| 850 | | BIO CHISEL PASTE CARTRIDGE, 1 x 400 g (0.88 lbs) | 1 | |
| 860 | 3362235293 | TEST GAUGE LOWER WEAR BUSH | 1 | |

Mechanical Hydraulic breaker




| Item | Part No. | Name | Qty | L |
|-----------|------------|---|-----|---|
| 1 | | Percussion unit | 1 | А |
| 2 | 3363092857 | Elastic pad | 1 | |
| 3 | 3361852237 | Shock absorber | 2 | |
| 4 | 3363120055 | Guide plate | 2 | |
| 5 | 3363084231 | Guide plate | 1 | |
| 7 | 3363092861 | Guide plate | 1 | |
| 20(21-24) | 3363083731 | TRANSPORT SAFETY DEVICE, complete | 1 | |
| 21 | | TRANSPORT SAFETY DEVICE | 1 | |
| 22 | 3360026786 | ALLEN SCREW | 2 | |
| 23 | 3360103251 | NUT | 2 | |
| 24 | 3363091872 | LABEL TRANSPORT SAFETY DEVICE | 1 | |
| 31 | 3363086011 | Plug | 2 | |
| 32 | 3362267897 | PLUG | 10 | |
| 34 | 3363120077 | Cover | 1 | |
| 35 | 3363120078 | Cover | 1 | |
| 36 | 3363120079 | Cover | 1 | |
| 37 | 3363118186 | Bellows | 2 | |
| 38 | 3362328480 | Allen screw | 8 | |
| 39 | 3361850596 | PAIR OF LOCK WASHERS | 8 | |
| 95 | 3363111993 | LIFTING EYE | 1 | В |
| 96 | 3315439145 | PROTECTIVE PLUG HATCON | 4 | С |
| 99 | 3363120084 | Breaker box | 1 | D |
| 500 | 3363067123 | AUTOMATIC LUBRICATION SYSTEM | 1 | |
| 550 | | Connecting kit for automatic lubrication system | 1 | Α |
| 580 | | HATCON | 1 | Е |

Comments for Page: Hydraulic breaker


- A | see separate chapter
- B | professional welding process necessary
- C | only for hydraulic breakers without HATCON
- D | with item 95 and 96
- E | only for hydraulic breakers with HATCON / see separate chapter

Mechanical Percussion unit part 1: cylinder cover



| Item | Part No. | Name | Qty | L |
|--------------|------------|--------------------------|-----|---|
| 100 | 3363091704 | Cylinder cover | 1 | |
| 120 | 3360314664 | O-RING | 1 | |
| 122 | 3363091710 | SEAL | 1 | |
| 123 | 3363091708 | Seal | 2 | |
| 124 | 3363091709 | O-RING | 2 | |
| 180(181-183) | 3363087286 | FILLING VALVE, complete | 1 | |
| 181 | | FILLING VALVE | 1 | |
| 182 | 3360478426 | THREADED PLUG | 1 | |
| 183 | 3360175125 | O-RING | 1 | |
| 190(191-192) | 3363091702 | Tensioning bolt complete | 4 | |
| 191 | | Tensioning bolt | 1 | |
| 192 | 3363093645 | Washer | 1 | |

Mechanical Percussion unit part 2: cylinder




| Item | Part No. | Name | Qty | L |
|------|------------|--------------------|-----|---|
| 300 | 3363123701 | Cylinder | 1 | |
| 301 | 3363092881 | Main control valve | 1 | |
| 302 | 3360996767 | Cover | 1 | |
| 303 | 3360314494 | O-RING | 1 | |
| 304 | 3362267585 | SEAL | 1 | |
| 305 | 3363091714 | WIPER | 1 | |
| 314 | 3361854657 | CONNECTING SCREW | 1 | |
| 315 | 3360478171 | O-RING | 1 | |
| 320 | 3363033059 | Valve housing | 1 | |
| 321 | 3363105305 | Valve piston | 1 | |
| 322 | 3363033749 | Threaded plug | 1 | А |
| 330 | 3361854511 | NON-RETURN VALVE | 1 | |
| 350 | 3363091703 | Percussion piston | 1 | |
| 370 | 3360106784 | Parallel pin 14X28 | 1 | |
| 385 | 3363122402 | SEAL | 2 | |
| 396 | 3360995665 | Fitting | 2 | В |
| 397 | 3360314551 | O-ring | 2 | |
| 398 | 3361353488 | Protective cap | 2 | |

Comments for Page: Percussion unit part 2: cylinder

(L)OCAL REMARKS

A | secure with Loctite 243 B | with item 397

Mechanical Percussion unit part 3: lower breaker part




| Item | Part No. | Name | Qty | L |
|--------------|------------|-----------------------------|-----|---|
| 370 | 3360106784 | Parallel pin 14X28 | 1 | |
| 401 | 3363104779 | Retainer bar | 2 | |
| 402 | 3363104781 | Bolt | 2 | |
| 403 | 3363031713 | Protective cap | 1 | |
| 480(481-491) | 3363103242 | Lower breaker part complete | 1 | А |
| 481 | | Lower breaker part | 1 | |
| 484 | 3363092889 | Impact ring | 1 | |
| 485 | 3363092891 | Wear bush | 1 | |
| 486 | 3362261509 | PIN | 2 | |
| 487 | 3363091201 | SPRING DOWEL SLEEVE | 4 | |
| 488 | 3363089419 | Threaded insert | 4 | |
| 490 | 3363033043 | Locking bush | 2 | |
| 491 | 3363104777 | Wear bush (steel) | 1 | |

Comments for Page: Percussion unit part 3: lower breaker part

(L)OCAL REMARKS

A | Note: When ordering a lower breaker part for DustProtector version it is imperative to order additionally the base for wiper (item 18) and the wiper (item 19).

Mechanical Connecting kit for automatic lubrication system



| Item | Part No. | Name | Qty | L |
|--------------|------------|--|-----|---|
| 550(554-560) | | Connecting kit for automatic lubrication system | 1 | |
| 554 | 3362328480 | Allen screw | 4 | Α |
| 556 | 3361850596 | PAIR OF LOCK WASHERS | 4 | |
| 560(561-569) | 3363121795 | Connecting kit for automatic lubrication system | 1 | В |
| 561 | 3363087394 | HYDRAULIC HOSE | 1 | С |
| 562 | 3363083874 | HYDRAULIC HOSE | 1 | D |
| 563 | 3363066951 | Seal | 2 | |
| 564 | 3363068745 | Adapter | 1 | Α |
| 565 | 3363066887 | Adapter | 1 | Α |
| 566 | 3363087185 | FITTING | 1 | Α |
| 567 | 3363066234 | FITTING | 1 | Α |
| 568 | 3363087186 | FITTING | 1 | Α |
| 569 | 3363066233 | FITTING | 1 | Α |
| KIT | 3363091732 | SEAL KIT for swivel joint for automatic lubrication system | 1 | |

Comments for Page: Connecting kit for automatic lubrication system

(L)OCAL REMARKS

A | secure with Loctite 243

B | without fastening elements

C | Oil line

secure with Loctite 243


Route the hydraulic hoses as shown on the drawing. It must be ensured that the hydraulic hoses can move freely and are not in contact at any point.

D | Grease line

secure with Loctite 243

Route the hydraulic hoses as shown on the drawing. It must be ensured that the hydraulic hoses can move freely and are not in contact at any point.

Mechanical HATCON





| Item | Part No. | Name | Qty | L |
|--------------|------------|------------------------|-----|---|
| 580(581-587) | | HATCON | 1 | Α |
| 581 | | TRACKING MODULE HATCON | 1 | |
| 582 | 3315439130 | DAMPER HATCON | 2 | |
| 583 | 3315439110 | HOUSING TYPE 1 HATCON | 1 | |
| 584 | 3315439140 | LOCK RING HATCON | 1 | |
| 585 | 3315439120 | SLEEVE HATCON | 4 | |
| 586 | 3315439100 | PRODUCT LABEL HATCON | 1 | |
| 587 | 3315442600 | SCREW HATCON | 4 | |

Comments for Page: HATCON

A | part number see chapter "Optional equipment"

Mechanical Optional parts





| Item | Part No. | Name | Qty | L |
|------|------------|---------------------------------|-----|---|
| 491 | 3363104369 | Wear bush (bronze) | 1 | |
| 500 | 3363117931 | AUTOMATIC LUBRICATION SYSTEM HD | 1 | |

Mechanical Tightening torques

NO EXPLODED VIEW
AVAILABLE
FOR THIS BOM

| Item | Part No. | Name | Qty | L |
|------|----------|--|-----|---|
| 22 | - | ALLEN SCREW - 240 Nm (177 ft lbf) | - | А |
| 23 | - | Nut - 240 Nm (177 ft lbf) | - | В |
| 181 | - | FILLING VALVE - 130 Nm (96 ft lbf) | - | С |
| 182 | - | THREADED PLUG - 20 Nm (15 ft lbf) | - | D |
| 191 | - | TENSIONING BOLT - | - | E |
| 314 | - | THREADED PLUG - 300 Nm (221 ft lbf) | - | F |
| 322 | - | Threaded plug - 100 Nm (74 ft lbf) | - | G |
| 330 | - | NON-RETURN VALVE - 200 Nm (148 ft lbf) | - | Н |
| 396 | - | Fitting - 330 Nm (243 ft lbf) | - | 1 |
| 554 | - | ALLEN SCREW - 85 Nm (63 ft lbf) | - | J |
| 561 | - | HYDRAULIC HOSE - 42 Nm (31 ft lbf) | - | к |
| 562 | - | HYDRAULIC HOSE - 16 Nm (12 ft lbf) | - | L |
| 564 | - | Adapter - 55 Nm (41 ft lbf) | - | K |
| 565 | - | Adapter - 45 Nm (33 ft lbf) | - | к |
| 566 | - | FITTING - 60 Nm (44 ft lbf) | - | М |
| 567 | - | FITTING - 55 Nm (41 ft lbf) | - | N |
| 568 | - | FITTING - 50 Nm (37 ft lbf) | - | 0 |
| 569 | - | FITTING - 45 Nm (33 ft lbf) | - | Р |
| 587 | - | Screw HATCON - 22 Nm (16 ft lbf) - | - | Q |

Comments for Page: Tightening torques


(L)OCAL REMARKS

- A | Allen key size 17
- B | Socket spanner size 20
- C | Socket spanner size 22
- D | Allen key size 5
- E | Torque wrench or Power wrench size 50
- 1. Pretighten the tensioning bolts to 200 Nm, proceeding in a crosswise fashion,
- 2. then tighten each tensioning bolt through 120° (2 sides of hexagonal head) in a crosswise fashion,
- 3. finally tighten each tensioning bolt again through 90° (1 1/2 sides of hexagonal head) in a crosswise fashion.
- F | Allen key size 22
- G | Allen key size 12
- H | Socket spanner size 41
- I | Jaw spanner size 46/50
- J | Allen key size 10
- K | Open-ended wrench size 19
- L | Open-ended wrench size 17
- M | Open-ended wrench size 19, 22, 27

- N | Open-ended wrench size 19, 22
- O | Open-ended wrench size 17, 22, 27
- P | Open-ended wrench size 17, 19, 22
- Q | Security bit HATCON

This page intentionally left blank

Mechanical Dimensions




This page intentionally left blank

Options / accessories Hydraulic hoses

NO EXPLODED VIEW
AVAILABLE
FOR THIS BOM

| Item | Part No. | Name | Qty | L |
|------|------------|--|-----|---|
| - | 3360992340 | HYDRAULIC HOSE, I.D. 25 (1"), both ends M42 x 2 conical seal 24°, length 2300 mm (91 in.) | 2 | |
| - | 3361853859 | HYDRAULIC HOSE, I.D. 25 (1"), both ends M42 x 2 conical seal 24°, length 2800 mm (110 in.) | 2 | |

Options / accessories Optional equipment



Refer to the DocMine web page for most up-to-date information. The printed information might be outdated. Fri Feb 23 05:53:55 UTC 2024

| Item | Part No. | Name | Qty | L |
|------|------------|---|-----|---|
| 900 | 3363122356 | BIO CHISEL PASTE CARTRIDGE, 12 x 550 g (1.2 lbs) | 1 | |
| 900 | 3363091200 | CHISEL PASTE CARTRIDGE, 12 x 500 g (1.1 lbs) | 1 | |
| 901 | 3363034567 | GREASE PUMP | 1 | |
| 902 | 3360433774 | GREASE NIPPLE | 1 | |
| 903 | 3363089844 | MAINTENANCE AND CHARGING BOX, with nitrogen cylinder 2 I (0.43 gal (0.53 US gal)) | 1 | |
| 904 | 3363094940 | MAINTENANCE AND CHARGING BOX without nitrogen cylinder | 1 | |
| 905 | 3362235293 | TEST GAUGE LOWER WEAR BUSH | 1 | |
| 906 | 3363094952 | INSIDE CALLIPERS UPPER WEAR BUSH | 1 | |
| 907 | | ADAPTER PLATE matching the carrier. Consult the authorized Customer Center/Dealer in your area. | 1 | |
| 908 | 3363099797 | BASE PLATE WITH THREADED INSERTS | 1 | |
| 909 | 3363094537 | BOLT KIT | 1 | |
| 910 | 3363100695 | BASE PLATE WITH THROUGH BORINGS | 1 | |
| 911 | 3363094574 | BOLT KIT | 1 | |
| 912 | 3360209253 | ALLEN KEY (19 mm) | 1 | |
| 913 | 3363090531 | ADAPTER KIT FOR UNDERWATER APPLICATIONS | 1 | |
| 914 | 3315442500 | HATCON KIT 1 (3G) | 1 | Α |
| 914 | 3315442520 | HATCON KIT 1 (LTE) | 1 | Α |
| 915 | 3315439105 | SECURITY BIT HATCON | 1 | |
| 916 | 3315439106 | MAGNET HATCON | 1 | |
| 917 | 3363092971 | PISTON RETAINER | 1 | В |

Comments for Page: Optional equipment

A | with item 915 and 916

Hydraulic breakers are factory equipped with threads for attaching Retrofit kit HATCON


from s/n DEQ200061 - (MB 750)

from s/n DEQ200345 - (MB 750 DP)

from s/n DEQ200096 - (MB 750 E)

B | Consult the authorized Customer Center/Dealer in your area.

Options / accessories ClassicLine




Ø=100 mm, L=510 mm, LT=920 mm, Wt=51.0 kg Ø=3.94 inch, L=20 inch, LT=36.22 inch, Wt=112.4 lb

Ø=100 mm, W=100 mm, L=510 mm, LT=920 mm, Wt=52.0 kg Ø=3.94 inch, W=3.94 inch, L=20 inch, LT=36.22 inch, Wt=114.6 lb


Ø=100 mm, W=100 mm, L=510 mm, LT=920 mm, Wt=52.0 kg Ø=3.94 inch, W=3.94 inch, L=20 inch, LT=36.22 inch, Wt=114.6 lb

Ø=100 mm, L=510 mm, LT=920 mm, Wt=55.0 kg Ø=3.94 inch, L=20 inch, LT=36.22 inch, Wt=121.3 lb



| Item | Part No. | Name | Qty | L |
|------|------------|-------------------|-----|---|
| 1 | 3363119634 | Moil point | 1 | |
| 2 | 3363119635 | Chisel (cross) | 1 | |
| 3 | 3363119636 | Chisel (parallel) | 1 | |
| 4 | 3363119637 | Blunt tool | 1 | |


Options / accessories ProLine



Ø=100 mm, L=590 mm, LT=1000 mm, Wt=55.0 kg Ø=3.94 inch, L=23 inch, LT=39.37 inch, Wt=121.3 lb

Ø=100 mm, W=100 mm, L=590 mm, LT=1000 mm, Wt=57.0 kg Ø=3.94 inch, W=3.94 inch, L=23 inch, LT=39.37 inch, Wt=125.7 lb

Ø=100 mm, L=590 mm, LT=1000 mm, Wt=60.0 kg Ø=3.94 inch, L=23 inch, LT=39.37 inch, Wt=132.3 lb



| Item | Part No. | Name | Qty | L |
|------|------------|----------------|-----|---|
| 1 | 3363118337 | Moil point | 1 | |
| 2 | 3363118342 | Chisel (cross) | 1 | |
| 3 | 3363103482 | Blunt tool | 1 | |

Any unauthorized use or copying of the contents or any part thereof is prohibited. This applies in particular to trademarks, model denominations, part numbers, and drawings.

