

# CC 2300 U, 2300 S, 2300 P

---


## Spare parts list

### Hydraulic demolition cutter

CC 2300 U s/n DEQ189106 -

CC 2300 S s/n DEQ189106 -

CC 2300 P s/n DEQ189106 -



# General information

This spare parts list applies to the following:

| Part number | Description                                             |
|-------------|---------------------------------------------------------|
| 3363120990  | Hydraulic demolition cutter CC 2300 U                   |
| 3363121615  | Hydraulic demolition cutter CC 2300 S                   |
| 3363124587  | Hydraulic demolition cutter CC 2300 P                   |
| 3363124915  | Hydraulic demolition cutter CC 2300 U with HATCON (3G)  |
| 3363124916  | Hydraulic demolition cutter CC 2300 S with HATCON (3G)  |
| 3363124917  | Hydraulic demolition cutter CC 2300 P with HATCON (3G)  |
| 3363126929  | Hydraulic demolition cutter CC 2300 U with HATCON (LTE) |
| 3363126930  | Hydraulic demolition cutter CC 2300 S with HATCON (LTE) |
| 3363126931  | Hydraulic demolition cutter CC 2300 P with HATCON (LTE) |

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability. Any unauthorized use or copying of the contents or any part thereof is prohibited. This applies in particular to trademarks, model denominations, part numbers, and drawings.

## Instructions for use

This spare parts list contains no safety regulations and is merely intended to assist in the ordering of spare parts.

For information about operating, servicing, or repairing, the relevant Safety and operating instructions must be consulted at all costs.

Please observe the safety instructions listed in the relevant Safety and operating instructions!

## Instructions for ordering

It is essential to indicate the serial number of the hydraulic attachment when ordering spare parts!

Please note the full identification number of your hydraulic attachment.

Determine the quantity of individual parts which are required and need to be ordered. The order must indicate the following details:

- full identification code of the hydraulic attachment
- required quantity
- part number
- description

## Service, repair and wear part kits

|                                         |    |
|-----------------------------------------|----|
| Hose kit (casing) . . . . .             | 1  |
| Cutter blades kit U . . . . .           | 3  |
| Cutter blades kit S . . . . .           | 5  |
| Cutter blades kit P . . . . .           | 7  |
| Tip of tooth U . . . . .                | 9  |
| Tip of tooth P . . . . .                | 11 |
| Sliding plate kit . . . . .             | 13 |
| Seal kit (Hydraulic cylinder) . . . . . | 15 |
| Kit list . . . . .                      | 17 |


## Mechanical

|                                              |    |
|----------------------------------------------|----|
| Hydraulic demolition cutter part 1 . . . . . | 19 |
| Hydraulic demolition cutter part 2 . . . . . | 21 |
| Hydraulic cylinder . . . . .                 | 23 |
| Cutter jaw pair U complete . . . . .         | 25 |
| Cutter jaw (single) U . . . . .              | 27 |
| Cutter jaw (double) U . . . . .              | 29 |
| Cutter jaw pair S complete . . . . .         | 31 |
| Cutter jaw (single) S . . . . .              | 33 |
| Cutter jaw (double) S . . . . .              | 35 |
| Cutter jaw pair P complete . . . . .         | 37 |
| Cutter jaw (double) P . . . . .              | 39 |
| Cutter jaw (triple) P . . . . .              | 41 |
| Upper part . . . . .                         | 43 |
| Rotary transmission . . . . .                | 46 |
| HATCON . . . . .                             | 49 |
| Tightening torques . . . . .                 | 51 |
| Dimensions CC 2300 U . . . . .               | 54 |
| Dimensions CC 2300 S . . . . .               | 56 |
| Dimensions CC 2300 P . . . . .               | 58 |

## Options / accessories

|                              |    |
|------------------------------|----|
| Hydraulic hoses . . . . .    | 60 |
| Optional equipment . . . . . | 63 |


## Service, repair and wear part kits Hose kit (casing)





| Item | Part No.   | Name              | Qty | L |
|------|------------|-------------------|-----|---|
| KIT  | 3363120989 | HOSE KIT (casing) | 1   |   |
| 19   | 3363122610 | HYDRAULIC HOSE    | 2   |   |
| 20   | 3363122794 | HYDRAULIC HOSE    | 2   |   |
| 21   | 3363122609 | HYDRAULIC HOSE    | 2   |   |
| 22   | 3360314549 | O-RING            | 8   |   |
| 25   | 3360314370 | O-RING            | 4   |   |
| 27   | 3360026513 | ALLEN SCREW       | 16  |   |
| 28   | 3360026393 | ALLEN SCREW       | 32  |   |

## Service, repair and wear part kits Cutter blades kit U




Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:35 UTC 2024



| Item | Part No.   | Name                 | Qty | L |
|------|------------|----------------------|-----|---|
| KIT  | 3363121227 | CUTTER BLADES KIT U  | 1   |   |
| 422  | 3363086479 | CUTTER BLADE         | 2   |   |
| 423  | 3362328057 | ALLEN SCREW          | 4   |   |
| 424  | 3361850748 | PAIR OF LOCK WASHERS | 4   |   |
| 425  | 3363035107 | LOCK RING            | 4   |   |
| 458  | 3363088149 | SHIM                 | 2   |   |
| 459  | 3363087607 | SHIM                 | 2   |   |
| 462  | 3363086479 | CUTTER BLADE         | 2   |   |
| 463  | 3363070085 | ALLEN SCREW          | 4   |   |
| 464  | 3361850748 | PAIR OF LOCK WASHERS | 4   |   |
| 465  | 3363035107 | LOCK RING            | 4   |   |
| 494  | 3363088149 | SHIM                 | 2   |   |
| 495  | 3363087607 | SHIM                 | 2   |   |

## Service, repair and wear part kits Cutter blades kit S



| Item | Part No.   | Name                 | Qty | L |
|------|------------|----------------------|-----|---|
| KIT  | 3363121645 | CUTTER BLADES KIT S  | 1   |   |
| 522  | 3363086455 | CUTTER BLADE         | 2   |   |
| 523  | 3362328057 | ALLEN SCREW          | 4   |   |
| 524  | 3361850748 | PAIR OF LOCK WASHERS | 4   |   |
| 525  | 3363035107 | LOCK RING            | 4   |   |
| 554  | 3363092403 | SHIM                 | 2   |   |
| 555  | 3363091026 | SHIM                 | 2   |   |
| 562  | 3363086455 | CUTTER BLADE         | 2   |   |
| 563  | 3363070085 | ALLEN SCREW          | 4   |   |
| 564  | 3361850748 | PAIR OF LOCK WASHERS | 4   |   |
| 565  | 3363035107 | LOCK RING            | 4   |   |
| 596  | 3363092403 | SHIM                 | 2   |   |
| 597  | 3363091026 | SHIM                 | 2   |   |

## Service, repair and wear part kits Cutter blades kit P




Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:35 UTC 2024

| Item | Part No.   | Name                 | Qty | L |
|------|------------|----------------------|-----|---|
| KIT  | 3363124657 | CUTTER BLADES KIT P  | 1   |   |
| 822  | 3363122359 | CUTTER BLADE         | 1   |   |
| 823  | 3360106092 | ALLEN SCREW          | 2   |   |
| 824  | 3361850748 | PAIR OF LOCK WASHERS | 2   |   |
| 825  | 3363035107 | LOCK RING            | 2   |   |
| 858  | 3363122330 | SHIM                 | 1   |   |
| 859  | 3363122331 | SHIM                 | 1   |   |
| 862  | 3363122359 | CUTTER BLADE         | 1   |   |
| 863  | 3360106092 | ALLEN SCREW          | 2   |   |
| 864  | 3361850748 | PAIR OF LOCK WASHERS | 2   |   |
| 865  | 3363035107 | LOCK RING            | 2   |   |
| 898  | 3363122330 | SHIM                 | 1   |   |
| 899  | 3363122331 | SHIM                 | 1   |   |

## Service, repair and wear part kits Tip of tooth U




Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:35 UTC 2024



| Item | Part No.   | Name               | Qty | L |
|------|------------|--------------------|-----|---|
| KIT  | 3363091058 | TIP OF TOOTH KIT U | 1   |   |
| 428  | 3363098968 | TIP OF TOOTH       | 1   |   |
| 429  | 3363098934 | HEXAGON NUT        | 1   |   |
| 430  | 3363123492 | HEXAGON HEAD BOLT  | 1   |   |
| 468  | 3363098968 | TIP OF TOOTH       | 2   |   |
| 469  | 3363098934 | HEXAGON NUT        | 2   |   |
| 470  | 3363123492 | HEXAGON HEAD BOLT  | 2   |   |

## Service, repair and wear part kits Tip of tooth P




Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:35 UTC 2024


| Item | Part No.   | Name              | Qty | L |
|------|------------|-------------------|-----|---|
| KIT  | 3363124656 | TIP OF TOOTH P    | 1   |   |
| 828  | 3363098968 | TIP OF TOOTH      | 2   |   |
| 829  | 3363098934 | HEXAGON NUT       | 4   |   |
| 830  | 3363083962 | HEXAGON HEAD BOLT | 2   |   |
| 836  | 3363123492 | HEXAGON HEAD BOLT | 2   |   |
| 837  | 3363122791 | TIP OF TOOTH      | 2   |   |
| 868  | 3363098968 | TIP OF TOOTH      | 2   |   |
| 869  | 3363098934 | HEXAGON NUT       | 6   |   |
| 870  | 3363083962 | HEXAGON HEAD BOLT | 4   |   |
| 875  | 3363122791 | TIP OF TOOTH      | 4   |   |
| 876  | 3363123492 | HEXAGON HEAD BOLT | 2   |   |

## Service, repair and wear part kits Sliding plate kit



| Item | Part No.   | Name                 | Qty | L |
|------|------------|----------------------|-----|---|
| KIT  | 3363122278 | SLIDING PLATE KIT    | 1   |   |
| 563  | 3363070085 | ALLEN SCREW          | 3   |   |
| 564  | 3361850748 | PAIR OF LOCK WASHERS | 3   |   |
| 568  | 3363090241 | SLIDING PLATE        | 1   |   |
| 598  | 3363093749 | SHIM                 | 1   |   |

## Service, repair and wear part kits Seal kit (Hydraulic cylinder)



| Item | Part No.   | Name                          | Qty | L |
|------|------------|-------------------------------|-----|---|
| KIT  | 3363122274 | SEAL KIT (Hydraulic cylinder) | 1   |   |
| 221  |            | SEAL                          | 1   |   |
| 222  |            | SEAL                          | 1   |   |
| 223  |            | WIPER                         | 1   |   |
| 224  |            | GUIDE RING                    | 2   |   |
| 225  |            | GUIDE RING                    | 1   |   |
| 226  |            | GUIDE RING                    | 1   |   |
| 227  |            | BACK-UP RING                  | 2   |   |
| 228  |            | O-RING                        | 1   |   |
| 229  |            | BACK-UP RING                  | 2   |   |
| 230  |            | BACK-UP RING                  | 1   |   |
| 231  |            | O-RING                        | 1   |   |
| 232  |            | O-RING                        | 1   |   |


Service, repair and wear part kits Kit list

NO EXPLODED VIEW  
AVAILABLE  
FOR THIS BOM




| Item         | Part No.   | Name                                   | Qty | L |
|--------------|------------|----------------------------------------|-----|---|
| KIT          | 3363120988 | LABEL KIT                              | 1   |   |
| 707(708-711) | 3363083066 | SEAL KIT (Rotary transmission)         | 1   |   |
| 708          |            | V-RING                                 | 1   |   |
| 709          |            | O-RING                                 | 1   |   |
| 710          |            | SLIDE RING                             | 1   |   |
| 711          |            | SEAL                                   | 2   |   |
| KIT          | 3363126309 | SEAL KIT (Hydraulic motor and housing) | 1   |   |
| KIT          | 3363091927 | SEAL KIT (Rapid movement valve)        | 1   |   |

## Mechanical Hydraulic demolition cutter part 1



| Item | Part No.   | Name                 | Qty | L |
|------|------------|----------------------|-----|---|
| 4    | 3363120664 | BOLT                 | 1   |   |
| 10   | 3363120669 | CAP                  | 1   |   |
| 13   | 3363091095 | HEXAGON HEAD SCREW   | 1   |   |
| 16   | 3361850596 | PAIR OF LOCK WASHERS | 3   |   |
| 23   | 3362328099 | SEAL                 | 1   |   |
| 24   | 3363066653 | O-RING               | 1   |   |
| 31   | 3360026511 | ALLEN SCREW          | 3   |   |

## Mechanical Hydraulic demolition cutter part 2



Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:38 UTC 2024

| Item | Part No.   | Name                                   | Qty | L |
|------|------------|----------------------------------------|-----|---|
| 1    | 3363120992 | HOUSING                                | 1   | A |
| 5    | 3360118445 | ALLEN SCREW                            | 3   |   |
| 6    | 3363120666 | BOLT                                   | 4   |   |
| 8    | 3360995664 | FLANGE HALF                            | 16  |   |
| 11   | 3363120452 | CAP                                    | 4   |   |
| 14   | 3363117540 | ROTARY SHAFT SEAL                      | 1   |   |
| 15   | 3361333703 | PAIR OF LOCK WASHERS                   | 24  |   |
| 16   | 3361850596 | PAIR OF LOCK WASHERS                   | 23  |   |
| 17   | 3362328082 | WASHER                                 | 4   |   |
| 19   | 3363122610 | HYDRAULIC HOSE                         | 2   |   |
| 20   | 3363122794 | HYDRAULIC HOSE                         | 2   |   |
| 21   | 3363122609 | HYDRAULIC HOSE                         | 2   |   |
| 22   | 3360314549 | O-RING                                 | 8   |   |
| 25   | 3360314370 | O-RING                                 | 4   |   |
| 27   | 3360026513 | ALLEN SCREW                            | 16  |   |
| 28   | 3360026393 | ALLEN SCREW                            | 32  |   |
| 29   | 3363070490 | ALLEN SCREW                            | 20  |   |
| 30   | 3360103751 | ALLEN SCREW                            | 24  |   |
| 32   | 3362262371 | CAP                                    | 2   |   |
| 33   | 3363120673 | PLATE                                  | 2   |   |
| 34   | 3361853208 | FLANGE HALF                            | 8   |   |
| 35   | 3363121730 | HEXAGON HEAD BOLT                      | 4   |   |
| 95   | 3363111994 | LIFTING EYE                            | 2   | B |
| 96   | 3315439145 | PROTECTIVE PLUG HATCON                 | 1   | C |
| 200  | 3363121070 | HYDRAULIC CYLINDER, complete           | 2   | D |
| 260  | 3363120766 | PROTECTIVE PISTON ROD SHEATH, complete | 2   | E |
| 262  | 3363088873 | GUIDE STRIP                            | 2   |   |
| 650  | 3363117521 | UPPER PART, complete                   | 1   | D |
| 730  | 3363103689 | RAPID MOVEMENT VALVE                   | 1   |   |
| 750  |            | HATCON                                 | 1   | F |

Comments for Page: Hydraulic demolition cutter part 2

A | with item 95

B | professional welding process necessary

C | only for hydraulic demolition cutters without HATCON

D | see separate chapter


E | with item 262

F | only for hydraulic demolition cutters with HATCON / see separate chapter

Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:39 UTC 2024

Mechanical Hydraulic cylinder




| Item         | Part No.   | Name                          | Qty | L |
|--------------|------------|-------------------------------|-----|---|
| 200          | 3363121070 | HYDRAULIC CYLINDER, complete  | 1   | A |
| 205          | 3360478961 | SPRING PIN                    | 2   |   |
| 207          | 3363122272 | SPRING PIN                    | 2   |   |
| 208          | 3363122260 | RING                          | 1   |   |
| 209          | 3363122255 | RING                          | 1   |   |
| 210          | 3363122289 | RING                          | 1   |   |
| 212          | 3360209834 | GREASE NIPPLE                 | 2   |   |
| 216          | 3363122261 | BEARING BUSH                  | 2   |   |
| 220(221-232) | 3363122274 | SEAL KIT (Hydraulic cylinder) | 1   |   |
| 221          |            | SEAL                          | 1   |   |
| 222          |            | SEAL                          | 1   |   |
| 223          |            | WIPER                         | 1   |   |
| 224          |            | GUIDE RING                    | 2   |   |
| 225          |            | GUIDE RING                    | 1   |   |
| 226          |            | GUIDE RING                    | 1   |   |
| 227          |            | BACK-UP RING                  | 2   |   |
| 228          |            | O-RING                        | 1   |   |
| 229          |            | BACK-UP RING                  | 2   |   |
| 230          |            | BACK-UP RING                  | 1   |   |
| 231          |            | O-RING                        | 1   |   |
| 232          |            | O-RING                        | 1   |   |

Comments for Page: Hydraulic cylinder

A | with item 205 - 232

## Mechanical Cutter jaw pair U complete






| Item | Part No.   | Name                        | Qty | L |
|------|------------|-----------------------------|-----|---|
| 400  | 3363120623 | CUTTER JAW PAIR U, complete | 1   | A |
| 401  | 3363120626 | CUTTER JAW (single) U       | 1   | B |
| 402  | 3363120629 | CUTTER JAW (double) U       | 1   | B |
| 403  | 3363121161 | RING SEGMENT                | 2   |   |
| 404  | 3360026644 | ALLEN SCREW                 | 8   |   |
| 405  | 3361333703 | PAIR OF LOCK WASHERS        | 8   |   |

Comments for Page: Cutter jaw pair U complete

A | with item 401 - 405

B | see separate chapter

## Mechanical Cutter jaw (single) U



Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:42 UTC 2024

| Item | Part No.   | Name                    | Qty | L |
|------|------------|-------------------------|-----|---|
| 420  | 3363120626 | CUTTER JAW (single) U   | 1   | A |
| 422  | 3363086479 | CUTTER BLADE            | 2   |   |
| 423  | 3362328057 | ALLEN SCREW             | 4   |   |
| 424  | 3361850748 | PAIR OF LOCK WASHERS    | 4   |   |
| 425  | 3363035107 | LOCK RING               | 4   |   |
| 426  | 3363120659 | BEARING BUSH            | 1   |   |
| 427  | 3363120661 | BEARING BUSH            | 1   |   |
| 428  | 3363098968 | TIP OF TOOTH            | 1   | B |
| 429  | 3363098934 | HEXAGON NUT             | 1   |   |
| 430  | 3363123492 | HEXAGON HEAD BOLT       | 1   |   |
| 431  | 3363120660 | WEAR RING               | 2   |   |
| 432  | 3360209834 | GREASE NIPPLE           | 1   |   |
| 433  | 3363087600 | CAP                     | 1   |   |
| 435  | 3363122384 | SPACER RING             | 1   |   |
| 454  | 3362268751 | LABEL TIGHTENING TORQUE | 2   | C |
| 456  | 3363121160 | SPACER RING             | 2   | D |
| 457  | 3363121159 | SPACER RING             | 2   | E |
| 458  | 3363088149 | SHIM                    | 2   | D |
| 459  | 3363087607 | SHIM                    | 2   | E |

Comments for Page: Cutter jaw (single) U

(L)OCAL REMARKS

A | with item 422 - 454


B | with item 429 and 430

C | German/English

D | 0.2 mm (0.01 in.) thick, as required

E | 1.0 mm (0.04 in.) thick, as required

## Mechanical Cutter jaw (double) U



Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:43 UTC 2024

| Item | Part No.   | Name                    | Qty | L |
|------|------------|-------------------------|-----|---|
| 460  | 3363120629 | CUTTER JAW (double) U   | 1   | A |
| 462  | 3363086479 | CUTTER BLADE            | 2   |   |
| 463  | 3363070085 | ALLEN SCREW             | 4   |   |
| 464  | 3361850748 | PAIR OF LOCK WASHERS    | 4   |   |
| 465  | 3363035107 | LOCK RING               | 4   |   |
| 466  | 3363120659 | BEARING BUSH            | 1   |   |
| 467  | 3363120661 | BEARING BUSH            | 1   |   |
| 468  | 3363098968 | TIP OF TOOTH            | 2   | B |
| 469  | 3363098934 | HEXAGON NUT             | 2   |   |
| 470  | 3363123492 | HEXAGON HEAD BOLT       | 2   |   |
| 471  | 3360209834 | GREASE NIPPLE           | 2   |   |
| 472  | 3363087600 | CAP                     | 2   |   |
| 473  | 3363120660 | WEAR RING               | 4   |   |
| 474  | 3362268751 | LABEL TIGHTENING TORQUE | 2   | C |
| 490  | 3363121160 | SPACER RING             | 2   | D |
| 493  | 3363121159 | SPACER RING             | 2   | E |
| 494  | 3363088149 | SHIM                    | 2   | D |
| 495  | 3363087607 | SHIM                    | 2   | E |

Comments for Page: Cutter jaw (double) U

(L)OCAL REMARKS

A | with item 462 - 474


B | with item 469 and 470

C | German/English

D | 0.2 mm (0.01 in.) thick, as required

E | 1.0 mm (0.04 in.) thick, as required

## Mechanical Cutter jaw pair S complete



| Item | Part No.   | Name                        | Qty | L |
|------|------------|-----------------------------|-----|---|
| 500  | 3363121600 | CUTTER JAW PAIR S, complete | 1   | A |
| 501  | 3363121602 | CUTTER JAW (single) S       | 1   | B |
| 502  | 3363121604 | CUTTER JAW (double) S       | 1   | B |
| 503  | 3363121161 | RING SEGMENT                | 2   |   |
| 504  | 3361333703 | PAIR OF LOCK WASHERS        | 8   |   |
| 505  | 3360026644 | ALLEN SCREW                 | 8   |   |


Comments for Page: Cutter jaw pair S complete

(L)OCAL REMARKS

A | with item 501 - 505

B | see separate chapter

## Mechanical Cutter jaw (single) S





| Item | Part No.   | Name                    | Qty | L |
|------|------------|-------------------------|-----|---|
| 520  | 3363121602 | CUTTER JAW (single) S   | 1   | A |
| 522  | 3363086455 | CUTTER BLADE            | 2   |   |
| 523  | 3362328057 | ALLEN SCREW             | 4   |   |
| 524  | 3361850748 | PAIR OF LOCK WASHERS    | 4   |   |
| 525  | 3363035107 | LOCK RING               | 4   |   |
| 526  | 3363120659 | BEARING BUSH            | 1   |   |
| 527  | 3363120661 | BEARING BUSH            | 1   |   |
| 528  | 3363120660 | WEAR RING               | 2   |   |
| 532  | 3360209834 | GREASE NIPPLE           | 1   |   |
| 533  | 3363087600 | CAP                     | 1   |   |
| 535  | 3363122384 | SPACER RING             | 1   |   |
| 551  | 3362268751 | LABEL TIGHTENING TORQUE | 2   | B |
| 552  | 3363121160 | SPACER RING             | 2   | C |
| 553  | 3363121159 | SPACER RING             | 2   | D |
| 554  | 3363092403 | SHIM                    | 2   | C |
| 555  | 3363091026 | SHIM                    | 2   | D |

Comments for Page: Cutter jaw (single) S

(L)OCAL REMARKS


A | with item 522 - 551

B | German/English

C | 0.2 mm (0.01 in.) thick, as required

D | 1.0 mm (0.04 in.) thick, as required

## Mechanical Cutter jaw (double) S



Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:46 UTC 2024

| Item | Part No.   | Name                    | Qty | L |
|------|------------|-------------------------|-----|---|
| 560  | 3363121604 | CUTTER JAW (double) S   | 1   | A |
| 562  | 3363086455 | CUTTER BLADE            | 2   |   |
| 563  | 3363070085 | ALLEN SCREW             | 7   |   |
| 564  | 3361850748 | PAIR OF LOCK WASHERS    | 7   |   |
| 565  | 3363035107 | LOCK RING               | 4   |   |
| 566  | 3363120659 | BEARING BUSH            | 1   |   |
| 567  | 3363120661 | BEARING BUSH            | 1   |   |
| 568  | 3363090241 | SLIDING PLATE           | 1   |   |
| 569  | 3360209834 | GREASE NIPPLE           | 2   |   |
| 570  | 3363087600 | CAP                     | 2   |   |
| 571  | 3363120660 | WEAR RING               | 4   |   |
| 572  | 3362268751 | LABEL TIGHTENING TORQUE | 2   | B |
| 594  | 3363121160 | SPACER RING             | 2   | C |
| 595  | 3363121159 | SPACER RING             | 2   | D |
| 596  | 3363092403 | SHIM                    | 2   | C |
| 597  | 3363091026 | SHIM                    | 2   | D |
| 598  | 3363093749 | SHIM                    | 1   | D |

Comments for Page: Cutter jaw (double) S

(L)OCAL REMARKS


A | with item 562 - 572

B | German/English

C | 0.2 mm (0.01 in.) thick, as required

D | 1.0 mm (0.04 in.) thick, as required

## Mechanical Cutter jaw pair P complete




| Item | Part No.   | Name                        | Qty | L |
|------|------------|-----------------------------|-----|---|
| 800  | 3363124653 | CUTTER JAW PAIR P, complete | 1   | A |
| 801  | 3363124654 | CUTTER JAW (double) P       | 1   | B |
| 802  | 3363124655 | CUTTER JAW (triple) P       | 1   | B |
| 803  | 3363121161 | RING SEGMENT                | 2   |   |
| 804  | 3361333703 | PAIR OF LOCK WASHERS        | 8   |   |
| 805  | 3363083725 | ALLEN SCREW                 | 8   |   |

Comments for Page: Cutter jaw pair P complete

A | with item 801 - 805

B | see separate chapter

## Mechanical Cutter jaw (double) P



Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:49 UTC 2024

| Item | Part No.   | Name                    | Qty | L |
|------|------------|-------------------------|-----|---|
| 820  | 3363124654 | CUTTER JAW (double) P   | 1   | A |
| 822  | 3363122359 | CUTTER BLADE            | 1   |   |
| 823  | 3360106092 | ALLEN SCREW             | 2   |   |
| 824  | 3361850748 | PAIR OF LOCK WASHERS    | 2   |   |
| 825  | 3363035107 | LOCK RING               | 2   |   |
| 826  | 3363120661 | BEARING BUSH            | 1   | B |
| 827  | 3363120659 | BEARING BUSH            | 1   | B |
| 828  | 3363098968 | TIP OF TOOTH            | 2   | C |
| 829  | 3363098934 | HEXAGON NUT             | 4   |   |
| 830  | 3363083962 | HEXAGON HEAD BOLT       | 2   |   |
| 831  | 3363120660 | WEAR RING               | 2   |   |
| 832  | 3360209834 | GREASE NIPPLE           | 2   |   |
| 833  | 3363087600 | CAP                     | 2   |   |
| 836  | 3363123492 | HEXAGON HEAD BOLT       | 2   |   |
| 837  | 3363122791 | TIP OF TOOTH            | 2   |   |
| 854  | 3362268751 | LABEL TIGHTENING TORQUE | 2   | D |
| 858  | 3363122330 | SHIM                    | 1   | E |
| 859  | 3363122331 | SHIM                    | 1   | F |

Comments for Page: Cutter jaw (double) P

A | with item 822 - 854


B | observe mounting direction, lubrication groove outwards

C | with item 829 and 836

D | 0.2 mm (0.01 in.) thick, as required

E | 1.0 mm (0.04 in.) thick, as required

## Mechanical Cutter jaw (triple) P



Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:51 UTC 2024



| Item | Part No.   | Name                    | Qty | L |
|------|------------|-------------------------|-----|---|
| 860  | 3363124655 | CUTTER JAW (triple) P   | 1   | A |
| 862  | 3363122359 | CUTTER BLADE            | 1   |   |
| 863  | 3360106092 | ALLEN SCREW             | 2   |   |
| 864  | 3361850748 | PAIR OF LOCK WASHERS    | 2   |   |
| 865  | 3363035107 | LOCK RING               | 2   |   |
| 866  | 3363120659 | BEARING BUSH            | 1   | B |
| 867  | 3363120661 | BEARING BUSH            | 1   | B |
| 868  | 3363098968 | TIP OF TOOTH            | 2   | C |
| 869  | 3363098934 | HEXAGON NUT             | 6   |   |
| 870  | 3363083962 | HEXAGON HEAD BOLT       | 4   |   |
| 871  | 3363120660 | WEAR RING               | 4   |   |
| 872  | 3360209834 | GREASE NIPPLE           | 2   |   |
| 873  | 3363087600 | CAP                     | 2   |   |
| 875  | 3363122791 | TIP OF TOOTH            | 4   |   |
| 876  | 3363123492 | HEXAGON HEAD BOLT       | 2   |   |
| 895  | 3362268751 | LABEL TIGHTENING TORQUE | 2   | D |
| 896  | 3363121159 | SPACER RING             | 2   | E |
| 897  | 3363121160 | SPACER RING             | 2   | F |
| 898  | 3363122330 | SHIM                    | 1   | F |
| 899  | 3363122331 | SHIM                    | 1   | E |

Comments for Page: Cutter jaw (triple) P

A | with item 862 - 895

B | observe mounting direction, lubrication groove inwards


C | with item 869 and 876

D | German/English

E | 1.0 mm (0.04 in.) thick, as required

F | 0.2 mm (0.01 in.) thick, as required

## Mechanical Upper part



Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:52 UTC 2024

| Item | Part No.   | Name                 | Qty | L |
|------|------------|----------------------|-----|---|
| 600  | 3363117521 | UPPER PART, complete | 1   | A |
| 601  | 3363129333 | SEAL                 | 1   |   |
| 603  | 3363092099 | CONNECTION PLATE     | 1   |   |
| 604  | 3362266712 | VALVE BLOCK          | 1   |   |
| 605  | 3363117403 | FOUR POINT BEARING   | 1   |   |
| 606  | 3363098967 | HYDRAULIC MOTOR      | 1   |   |
| 607  | 3360026646 | ALLEN SCREW          | 4   |   |
| 608  | 3360103738 | ALLEN SCREW          | 2   |   |
| 609  | 3363117539 | SEAL PLATE           | 2   |   |
| 610  | 3363121730 | HEXAGON HEAD BOLT    | 36  |   |
| 611  | 3361333703 | PAIR OF LOCK WASHERS | 40  |   |
| 612  | 3360026512 | ALLEN SCREW          | 12  |   |
| 613  | 3361850596 | PAIR OF LOCK WASHERS | 12  |   |
| 614  | 3362265869 | RING                 | 1   |   |
| 615  | 3363088327 | RING                 | 1   |   |
| 616  | 3362260807 | SPUR PINION          | 1   |   |
| 617  | 3361031981 | ALLEN SCREW          | 1   |   |
| 618  | 3360313304 | O-RING               | 1   |   |
| 619  | 3363034429 | ALLEN SCREW          | 8   |   |
| 620  | 3363091912 | FITTING              | 2   |   |
| 621  | 3360478333 | FITTING              | 8   |   |
| 622  | 3360314370 | O-RING               | 6   |   |
| 623  | 3361850743 | PAIR OF LOCK WASHERS | 2   |   |
| 624  | 3362267435 | FITTING              | 2   |   |
| 625  | 3363034040 | BLIND FLANGE         | 4   | B |
| 626  | 3360314593 | PLUG                 | 4   |   |
| 627  | 3360478439 | THREADED PLUG        | 4   |   |
| 628  | 3363085885 | HYDRAULIC HOSE       | 2   |   |
| 629  | 3363083972 | HYDRAULIC HOSE       | 2   |   |
| 631  | 3363127192 | COVER                | 2   |   |
| 632  | 3360433381 | HEXAGON HEAD BOLT    | 8   |   |
| 633  | 3360478440 | THREADED PLUG        | 2   |   |
| 634  | 3360314543 | FITTING              | 2   |   |
| 635  | 3360478079 | O-RING               | 1   |   |
| 639  | 3360433774 | GREASE NIPPLE        | 2   |   |
| 700  | 3363033685 | ROTARY TRANSMISSION  | 1   | C |

Comments for Page: Upper part

Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:52 UTC 2024

## (L)OCAL REMARKS

A | with item 603 - 700


B | with one time item 622 and four times item 612

C | see separate chapter

This page intentionally left blank

Mechanical Rotary transmission


| 700 |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|
| 701 | 702 | 703 | 704 | 705 | 706 | 707 |



| 707 |     |     |     |
|-----|-----|-----|-----|
| 708 | 709 | 710 | 711 |

| Item         | Part No.   | Name                           | Qty | L |
|--------------|------------|--------------------------------|-----|---|
| 700(701-707) | 3363033685 | ROTARY TRANSMISSION            | 1   |   |
| 701          | 3363034316 | ROTOR                          | 1   |   |
| 702          | 3363034317 | STATOR                         | 1   |   |
| 703          | 3363034318 | CAP                            | 1   |   |
| 704          | 3363034319 | BALL BEARING                   | 1   |   |
| 705          | 3363034320 | BALL BEARING                   | 1   |   |
| 706          | 3363034325 | ALLEN SCREW                    | 4   |   |
| 707(708-711) | 3363083066 | SEAL KIT (Rotary transmission) | 1   |   |
| 708          |            | V-RING                         | 1   |   |
| 709          |            | O-RING                         | 1   |   |
| 710          |            | SLIDE RING                     | 1   |   |
| 711          |            | SEAL                           | 2   |   |

Mechanical HATCON





| Item         | Part No.   | Name                   | Qty | L |
|--------------|------------|------------------------|-----|---|
| 750(751-757) |            | HATCON                 | 1   | A |
| 751          |            | TRACKING MODULE HATCON | 1   |   |
| 752          | 3315439130 | DAMPER HATCON          | 2   |   |
| 753          | 3315439110 | HOUSING TYPE 1 HATCON  | 1   |   |
| 754          | 3315439140 | LOCK RING HATCON       | 1   |   |
| 755          | 3315439120 | SLEEVE HATCON          | 4   |   |
| 756          | 3315439100 | PRODUCT LABEL HATCON   | 1   |   |
| 757          | 3315442600 | SCREW HATCON           | 4   |   |

Comments for Page: HATCON

A | part number see chapter "Optional equipment"

Mechanical Tightening torques

NO EXPLODED VIEW  
AVAILABLE  
FOR THIS BOM

| Item | Part No. | Name                                               | Qty | L |
|------|----------|----------------------------------------------------|-----|---|
| 13   | -        | ALLEN SCREW - 650 + 50 Nm (479 + 37 ft lbf)        | -   |   |
| 27   | -        | SCREW HATCON - 22 Nm (16 ft lbf)                   | -   |   |
| 28   | -        | ALLEN SCREW - 44 + 5 Nm (32 + 4 ft lbf)            | -   |   |
| 29   | -        | FASTENING SCREW - 255 + 30 Nm (188 + 22 ft lbf)    | -   |   |
| 30   | -        | SCREW HATCON - 22 Nm (16 ft lbf)                   | -   |   |
| 31   | -        | SCREW HATCON - 22 Nm (16 ft lbf)                   | -   |   |
| 35   | -        | HEXAGON HEAD SCREW - 255 + 30 Nm (188 + 22 ft lbf) | -   |   |
| 404  | -        | ALLEN SCREW - 180 + 20 Nm (133 + 15 ft lbf)        | -   |   |
| 423  | -        | ALLEN SCREW - 530 + 30 Nm (391 + 22 ft lbf)        | -   |   |
| 430  | -        | HEXAGON HEAD SCREW - 920 + 30 Nm (679 + 22 ft lbf) | -   |   |
| 432  | -        | GREASE NIPPLE - 8 + 2 Nm (6 + 1 ft lbf)            | -   |   |
| 463  | -        | ALLEN SCREW - 530 + 30 Nm (391 + 22 ft lbf)        | -   |   |
| 470  | -        | HEXAGON HEAD SCREW - 920 + 30 Nm (679 + 22 ft lbf) | -   |   |
| 471  | -        | GREASE NIPPLE - 8 + 2 Nm (6 + 1 ft lbf)            | -   |   |
| 505  | -        | ALLEN SCREW - 180 + 20 Nm (133 + 15 ft lbf)        | -   |   |
| 523  | -        | ALLEN SCREW - 530 + 30 Nm (391 + 22 ft lbf)        | -   |   |
| 532  | -        | GREASE NIPPLE - 8 + 2 Nm (6 + 1 ft lbf)            | -   |   |
| 563  | -        | ALLEN SCREW - 530 + 30 Nm (391 + 22 ft lbf)        | -   |   |
| 569  | -        | GREASE NIPPLE - 8 + 2 Nm (6 + 1 ft lbf)            | -   |   |
| 607  | -        | ALLEN SCREW - 180 + 20 Nm (133 + 15 ft lbf)        | -   |   |
| 608  | -        | ALLEN SCREW - 19 + 5 Nm (14 + 4 ft lbf)            | -   |   |
| 610  | -        | HEXAGON HEAD SCREW - 255 + 30 Nm (188 + 22 ft lbf) | -   |   |
| 612  | -        | SCREW HATCON - 22 Nm (16 ft lbf)                   | -   |   |
| 617  | -        | HEXAGON HEAD SCREW - 70 + 5 Nm (52 + 4 ft lbf)     | -   | A |
| 619  | -        | SCREW HATCON - 22 Nm (16 ft lbf)                   | -   |   |
| 620  | -        | FITTING - 70 + 5 Nm (52 + 4 ft lbf)                | -   |   |
| 621  | -        | FITTING - 70 + 5 Nm (52 + 4 ft lbf)                | -   |   |
| 624  | -        | FITTING - 150 + 20 Nm (111 + 15 ft lbf)            | -   |   |
| 627  | -        | THREADED PLUG - 25 + 5 Nm (18 + 4 ft lbf)          | -   |   |
| 632  | -        | HEXAGON HEAD SCREW - 75 + 10 Nm (55 + 7 ft lbf)    | -   |   |
| 633  | -        | THREADED PLUG - 40 + 5 Nm (30 + 4 ft lbf)          | -   |   |
| 706  | -        | ALLEN SCREW - 25 Nm (18 ft lbf)                    | -   |   |
| 757  | -        | SCREW HATCON - 22 Nm (16 ft lbf)                   | -   |   |
| 823  | -        | ALLEN SCREW - 530 + 30 Nm (391 + 22 ft lbf)        | -   |   |
| 830  | -        | HEXAGON HEAD SCREW - 920 + 30 Nm (679 + 22 ft lbf) | -   |   |
| 836  | -        | HEXAGON HEAD SCREW - 920 + 30 Nm (679 + 22 ft lbf) | -   |   |
| 863  | -        | ALLEN SCREW - 530 + 30 Nm (391 + 22 ft lbf)        | -   |   |

Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:54 UTC 2024

| Item | Part No. | Name                                               | Qty | L |
|------|----------|----------------------------------------------------|-----|---|
| 870  | -        | HEXAGON HEAD SCREW - 920 + 30 Nm (679 + 22 ft lbf) | -   |   |
| 876  | -        | HEXAGON HEAD SCREW - 920 + 30 Nm (679 + 22 ft lbf) | -   |   |


Comments for Page: Tightening torques

(L)OCAL REMARKS

A | fix with Loctite 243

This page intentionally left blank

## Mechanical Dimensions CC 2300 U




Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:55 UTC 2024

This page intentionally left blank

## Mechanical Dimensions CC 2300 S




Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:56 UTC 2024



This page intentionally left blank

## Mechanical Dimensions CC 2300 P



Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:56 UTC 2024


This page intentionally left blank

Options / accessories Hydraulic hoses

NO EXPLODED VIEW  
AVAILABLE  
FOR THIS BOM

| Item | Part No.   | Name                                                                                                            | Qty | L |
|------|------------|-----------------------------------------------------------------------------------------------------------------|-----|---|
|      | -          | Open - Close                                                                                                    |     |   |
| -    | 3363094645 | HYDRAULIC HOSE, I.D. 25 (1"), , flange SAE 90° - 6000 PSI / M42 x 2, conical seal 24°, length 2300 mm (91 in.)  | 2   |   |
| -    | 3363094646 | HYDRAULIC HOSE, I.D. 25 (1"), , flange SAE 90° - 6000 PSI / M42 x 2, conical seal 24°, length 2800 mm (110 in.) | 2   |   |
|      | -          | Accessories to hydraulic hoses "Open - Close"                                                                   |     |   |
| -    | 3360026513 | ALLEN SCREW                                                                                                     | 8   |   |
| -    | 3360314370 | O-RING                                                                                                          | 2   |   |
|      | -          | Rotation                                                                                                        |     |   |
| -    | 3363031767 | HYDRAULIC HOSE, I.D. 8 (3/8"), both ends M20 x 1.5 conical seal 24°, length 2800 mm (110 in.)                   | 2   |   |
| -    | 3363034399 | HYDRAULIC HOSE, I.D. 8 (3/8"), both ends M20 x 1.5 conical seal 24°, length 3500 mm (138 in.)                   | 2   |   |

## Options / accessories Optional equipment



Refer to the DocMine web page for most up-to-date information. The printed information might be outdated.

Fri Nov 15 06:09:58 UTC 2024

| Item | Part No.   | Name                                                                                            | Qty | L |
|------|------------|-------------------------------------------------------------------------------------------------|-----|---|
| 900  | 3363094914 | CUTTER GREASE CARTRIDGE, 12 x 400 g (0.88 lbs)                                                  | 1   |   |
| 901  | 0909107100 | LUBRICAT.GUN                                                                                    | 1   |   |
| 902  |            | ADAPTER PLATE matching the carrier. Consult the authorized Customer Center/Dealer in your area. | 1   |   |
| 903  | 3363099799 | BASE PLATE WITH THREADED INSERTS                                                                | 1   |   |
| 904  | 3363087306 | BOLT KIT                                                                                        | 1   |   |
| 905  | 3363100697 | BASE PLATE WITH THROUGH BORINGS                                                                 | 1   |   |
| 906  | 3363094579 | BOLT KIT                                                                                        | 1   |   |
| 907  | 3360209445 | ALLEN KEY (22 mm)                                                                               | 1   |   |
| 908  |            | ASSEMBLY RACK                                                                                   | 1   | A |
| 909  | 3363121823 | BOLT CAGE                                                                                       | 1   | B |
| 910  | 3315442500 | HATCON KIT 1 (3G)                                                                               | 1   | C |
| 910  | 3315442520 | HATCON KIT 1 (LTE)                                                                              | 1   | C |
| 911  | 3315439105 | SECURITY BIT HATCON                                                                             | 1   |   |
| 912  | 3315439106 | MAGNET HATCON                                                                                   | 1   |   |

Comments for Page: Optional equipment

#### (L)OCAL REMARKS

A | for cutter jaw set, consult the authorized Customer Center/Dealer in your area

B | for bolt item 4

C | with item 911 and 912

Hydraulic demolition cutters are factory equipped with threads for attaching Retrofit kit HATCON

from s/n DEQ219175 - (CC 2300 U)

will be announced at a later date - (CC 2300 S)

from s/n DEQ219163 - (CC 2300 P)

Any unauthorized use or copying of the contents or any part thereof is prohibited.  
This applies in particular to trademarks, model denominations, part numbers, and drawings.